ensure cleanliness and suitability immediately before use. A record of these checks must be kept.

- (e) In-process materials controls. Process controls must include control of inprocess materials to ensure that the materials are controlled until required tests or other verification activities have been completed or necessary approvals are received and documented.
- (f) Process verification. (1) For a PET drug for which each entire batch undergoes full finished-product testing to ensure that the product meets all specifications, process verification, as described in paragraph (f)(2) of this section, is not required.
- (2) When the results of the production of an entire batch of a PET drug are not fully verified through finishedproduct testing or when only the initial sub-batch in a series is tested, the PET drug producer must demonstrate that the process for producing the PET drug is reproducible and is capable of producing a drug product that meets the predetermined acceptance criteria. Process verification activities and results must be documented. Documentation must include the date and signature of the individual(s) performing the verification, the monitoring and control methods and data, and the major equipment qualified.

## Subpart G—Laboratory Controls

## § 212.60 What requirements apply to the laboratories where I test components, in-process materials, and finished PET drug products?

- (a) Testing procedures. Each laboratory used to conduct testing of components, in-process materials, and finished PET drug products must have and follow written procedures for the conduct of each test and for the documentation of the results.
- (b) Specifications and standards. Each laboratory must have sampling and testing procedures designed to ensure that components, in-process materials, and PET drug products conform to appropriate standards, including established standards of identity, strength, quality, and purity.
- (c) Analytical methods. Laboratory analytical methods must be suitable for their intended use and must be suffi-

ciently sensitive, specific, accurate, and reproducible.

- (d) Materials. The identity, purity, and quality of reagents, solutions, and supplies used in testing procedures must be adequately controlled. All solutions that you prepare must be properly labeled to show their identity and expiration date.
- (e) Equipment. All equipment used to perform the testing must be suitable for its intended purposes and capable of producing valid results.
- (f) Equipment maintenance. Each laboratory must have and follow written procedures to ensure that equipment is routinely calibrated, inspected, checked, and maintained, and that these activities are documented.
- (g) Test records. Each laboratory performing tests related to the production of a PET drug must keep complete records of all tests performed to ensure compliance with established specifications and standards, including examinations and assays, as follows:
- (1) A suitable identification of the sample received for testing.
- (2) A description of each method used in the testing of the sample, a record of all calculations performed in connection with each test, and a statement of the weight or measurement of the sample used for each test.
- (3) A complete record of all data obtained in the course of each test, including the date and time the test was conducted, and all graphs, charts, and spectra from laboratory instrumentation, properly identified to show the specific component, in-process material, or drug product for each lot tested.
- (4) A statement of the results of tests and how the results compare with established acceptance criteria.
- (5) The initials or signature of the person performing the test and the date on which the test was performed.

## § 212.61 What must I do to ensure the stability of my PET drug products through expiry?

(a) Stability testing program. You must establish, follow, and maintain a written testing program to assess the stability characteristics of your PET drug products. The test methods must be reliable, meaningful, and specific. The